



Response time data for Fire Rescue Victoria (FRV) appliances responding to Structure Fires in the FRV Fire District where the FRV appliances are primary appliances (1st appliance onscene)



Reporting Period: 1 October 2025 - 31 December 2025

Emergency Structure Fires meeting benchmark by Station Maintenance Area

Primarily residential structure fires including commercial centres, industrial and/or community services e.g. schools, facilities, hospitals. FRV has service delivery standards, which specify a response time target for a station to attend an emergency incident. The service delivery standard (response time) for Structure Fire is 7.7 minutes.

Legend 90%+ 80%-89% 70%-79% 60%-69% 50%-59% <50%

% within benchmark

FRV District + Station Maintenance Area	Number of incidents within the Station Maintenance Area for the reporting period	Number of emergency incidents within the Station Maintenance Area for the reporting period	Number of emergency incidents the standards were met by any station	% of emergency incidents the standards were met by any station	The time in minutes in which 90% of emergency incidents were responded to by any station
Central District	264	258	248	96.1%	7.0
01. Eastern Hill	21	21	21	100.0%	5.4
02. West Melbourne	32	32	31	96.9%	6.3
03. Carlton	45	45	43	95.6%	6.8
04. Brunswick	21	20	19	95.0%	7.0
10. Richmond	40	38	37	97.4%	6.2
13. Northcote	14	12	11	91.7%	7.0
18. Hawthorn	18	18	18	100.0%	7.4
35. Windsor	31	31	30	96.8%	7.1
38. South Melbourne	26	26	25	96.2%	6.6
50. Ascot Vale	16	15	13	86.7%	7.7
Eastern District	51	50	49	98.0%	6.4
20. Box Hill	15	14	14	100.0%	6.7
22. Ringwood	11	11	11	100.0%	5.9
23. Burwood	10	10	10	100.0%	6.3
28. Vermont South	15	15	14	93.3%	6.5
North West Region	34	33	30	90.9%	7.2
70. Warrnambool	11	11	11	100.0%	6.2
72. Mildura	10	10	7	70.0%	9.4
73. Bendigo	13	12	12	100.0%	6.4
Northern District	110	110	98	89.1%	7.7
05. Broadmeadows	38	38	31	81.6%	8.8
06. Pascoe Vale	14	14	13	92.9%	7.4
07. Thomastown	12	12	12	100.0%	7.4
12. Preston	22	22	22	100.0%	6.8
15. Heidelberg	11	11	9	81.8%	7.7
80. Craigieburn	13	13	11	84.6%	11.0
South East Region	53	53	42	79.2%	9.3
75. Shepparton	13	13	10	76.9%	9.3
76. Wodonga	15	15	13	86.7%	8.2
77. Traralgon	12	12	8	66.7%	10.7
78. Morwell	13	13	11	84.6%	7.8
Southern District 1	81	81	74	91.4%	7.7
24. Glen Iris	10	10	9	90.0%	6.1
25. Oakleigh	13	13	13	100.0%	7.0
31. Glen Waverley	17	17	15	88.2%	8.2
32. Ormond	20	20	17	85.0%	8.0
34. Highett	11	11	11	100.0%	7.0
89. Springvale	10	10	9	90.0%	7.5
Southern District 2	91	91	69	75.8%	8.6
87. Dandenong	37	37	28	75.7%	8.6
88. Hallam	13	13	12	92.3%	7.6
91. Frankston	21	21	18	85.7%	8.4
92. Cranbourne	20	20	11	55.0%	10.2
Western District 1	70	69	66	95.7%	7.2
42. Newport	12	11	10	90.9%	7.6
47. Footscray	41	41	40	97.6%	7.0
57. Tarneit	17	17	16	94.1%	7.5
Western District 2	81	80	58	72.5%	9.9
41. St. Albans	14	13	12	92.3%	7.3
44. Sunshine	21	21	20	95.2%	7.5
55. Caroline Springs	22	22	13	59.1%	11.4
56. Melton	24	24	13	54.2%	13.6
Western District 3	29	28	24	85.7%	7.9
62. Corio	19	18	16	88.9%	7.3
63. Geelong City	10	10	8	80.0%	8.2
Total	864	853	758	88.9%	7.9





Response time data for Fire Rescue Victoria (FRV) appliances responding to Structure Fires in the FRV Fire District where the FRV appliances are primary appliances (1st appliance onscene)



Emergency Structure Fires - Response Times Meeting Benchmarks

Reporting Period: 1 October 2025 - 31 December 2025





Legend

- FRV Fire Station
- FRV Boundary
- Station Maintenance Area (SMA)
- Within Target Percentage
- <50%
- 50% - 59%
- 60% - 69%
- 70% - 79%
- 80% - 89%
- ≥90%
- SMA with <10 SF incidents

FRV Business Intelligence & GIS
 Map produced: March 2026
 Request ID: Public Reporting/FY2025-26/Q2/Maps

(c) State Government of Victoria 2026
 This map is a snapshot generated from Victorian Government data as well as data from various other sources. This does not guarantee that the publication is without flaw of any kind or is wholly appropriate for your particular purposes and therefore disclaims all liability for error, loss or damage which may arise from reliance upon it. All persons accessing this information should make appropriate enquiries to assess the currency of the data.



Scale
1:500,000

